



 Hrabinská 498/19, 737 01  
Český Těšín, Czechy

 +420 603 933 363

 email: [office@valwo.eu](mailto:office@valwo.eu)


 [www.valwo.eu](http://www.valwo.eu)


**HOLDERS**

# RUPTURE DISC HOLDERS

---

The typical Conventional Bolted Type Rupture Disc Holder is a two-piece unit consisting of a base flange (inlet) and a hold-down flange (outlet). The 30° angular seating surfaces of these flanges are machined to grip Fike's Conventional P/CPV and HO/HOV Series Rupture Discs. When assembled, the crown (bulged portion) of the disc protrudes into the hold-down flange and a metal to metal seal is provided.

| Rupture Disc Holder Type | Applicable Disc Families                                    | Presentation   |
|--------------------------|---|--|
| Bolted Type              | HO/HOV<br>P/CPV<br>POLY-SD<br>Axius®<br>SRL<br>SRX<br>ATLAS |  |

| Rupture Disc Holder Type | Applicable Disc Families | Presentation  |
|--------------------------|--------------------------|---|
| Screw Type               | P/CPV<br>SCRD FS         |  |

**Rupture Disc Holder Type**

**Pretorqueable**

**Applicable Disc Families**

**POLY-SD**  
**Axius®**  
**SRL**  
**SRX**

**Presentation**



**Rupture Disc Holder Type**

**Double Disc Assembly**

**Applicable Disc Families**

**POLY-SD**  
**SCRD-V**  
**SRL**  
**Axius**

**Presentation**



**Rupture Disc Holder Type**

**Viscous Tee**

**Applicable Disc Families**

**HO/HOV, P/CPV**  
**POLY-SD**  
**SCRD FSR**  
**SRL**  
**SRX**

**Presentation**



## HOW TO SPECIFY

---

Fike provides certified rupture discs to meet all applications for process industries including isolating pressure relief valves from corrosive materials, reducing involuntary emissions, insuring pressure relief in critical applications, rupture discs for hygienic/pharmaceutical processes.

For more specifications please contact our experts!